

PRO110N

Ageing Wine Cellar
Professionnal
Freestanding



GENERAL INFORMATION

Number of bottles : 107
Number of zones : 1
Adjustable temperature range : 5-20°C
Noise level : 37dB
Energy class : G
Climate class : SN/ST (10-38)
Vinotag compatible : Yes

Product description

TO THE NEAREST DEGREE : The PRO110N aging cellar reproduces the storage conditions of a natural cellar: Temperature controlled by an electronic thermometer for adjustment to the nearest degree; Filtration and aeration system (activated carbon filter); Hygrometry controlled between 50 and 80%; Protection against light and anti-vibration system guarantee the good aging of your bottles.

OPTIMIZED STORAGE : Fitted with 10 sliding steel wire shelves, the PRO110N cellar can age up to 107 75 cl Bordeaux type bottles. Ergonomic, the shelves have been designed for a horizontal presentation of the wines which facilitates the reading of the labels and the identification of the bottles. Multi-format, they can receive several types of bottles, and are thus adapted to accommodate Burgundy, Champagne and Alsatian type bottles.

PROFESSIONAL QUALITY : Large handle and sliding shelves allow quick handling and easy access to wines secured by a lock. The bottom of the cellar protection plate allows you to close the door with your foot to save time. Finally, the horizontal presentation of the bottles and the compatibility with the Vinotag[®] application allow you to identify and manage your wines in record time. Open door switch for fan and light. Reversible door.



LOCK

Secure your wine collection in all time



SIDE LED LIGHT

Improves visibility of your wine selection with interior side LED lighting (top to bottom of the cellar)



SLIDING SHELVES

Access easily to your stored bottles thanks to telescopic rails



LABEL VIEW SHELF

For a highlight of your wine selection with a better visibility of the labels

PRO110N

EAN-13 - 3541362304254

Capacity and Temperature

- **Number of bottles: 107**
- **Adjustable temperature: 5-20°C**

Door

Door color : Black
Number of glass layers : 2
Anti-UV : Yes
Tempered glass : Yes
Lock : Yes
Reversible door : Yes
Handle type : Pulling bar
Self-closing door : No

Security

Alarm : Door, Temperature
Winter system : Yes
Child lock : No
Temperature memory : No

Logistic

Net dimensions (WxDxH): 59.5 x 67.5 x 136.0
Gross dimensions (WxDxH): 67.2 x 75.0 x 141.2
Net weight (kg) : 83.0
Gross weight (kg) : 88.0

Technical Data

Energy class : G
Annual energy (KWh/a) : 155
Climate class : SN/ST (10-38)
Noise level : 37dB / C
Energy Efficiency Index : 158.5 %
Power input : 80.00 W
Voltage : 220-240 V
Length of power cable : 180 cm
Plug Type : E type
Type of gas : R600a
Gas charge : 60 g
Type of compressor : Standard
Main cooling system : Air moving system
Charcoal filter : 1
Anti-vibration system : Yes
Adjustable feet : 2 / 0.8 cm

Light

Light source : LED
Light color(s) : Cold White
Dimmable light : no
Light switch : yes
Permanent light option : No

Qtty per 20' : 39
Qtty per 40' : 78
Qtty per 40 HC : 78
Customs code : 8418501990

PRO110N

EAN-13 - 3541362304254



Accessories

- 10 label view shelves, wire with wire front, sliding, rails
- 1 charcoal filter, (FCA07)

Compatible accessories references : PIERREDELAVE, BOITEPOURPIERRES, FCA07

Built-in information

Warning installation : This unit is intended for free standing installation only. It must never be built under or built in

