




HPL LOCKERS

V, T, M, C, P, B, Z and L SERIES







FV SERIES
1 door per column




FT SERIES
2 doors per column




FM SERIES
3 doors per column




FC SERIES
4 doors per column



FP SERIES
5 doors per column



FB SERIES
6 doors per column



FZ SERIES
8 doors per column



FL SERIES
2 doors in L-shape



FLH SERIES
2 doors in L-shape

CHARACTERISTICS

Technical features

Made of HPL-panels of phenolic resins.

Rigid material, water-resistant, fire-resistant, antibacterial and adequate for wet areas.

Highly resistant against wear, that is why it is ideal for applications with a high index of use and frequent cleaning.

Core of black colour.

According to the european norms EN 438-1 and EN 438-2.

Density 1450 Kg/m³ according to DIN 53479.

Water-absorption of less than 3%.

Side panels of 10 mm thickness.

Doors

Panel of 12 mm thickness for doors.

Rounded edges.

Back panel

Backpanel grooved HPL of 4 mm thickness and is absolutely framed.

Accessories

Key lock with removable cylinder and master key. With two user keys.

PVC legs, adjustable to 150 mm.

Aluminium coat rod with two a.b.s. hooks. (Models FV, FT and FL).

Internal shelf of 10 mm thickness at the model FV.

Screws of stainless steel A2. Cup hinges, double zinc plated and with triple regulation.

Numeration plates included.

One hinge with brake at each door.

Adjustable PVC-legs.

Maintenance-free.


Easy cleaning

The nonporous surface repels dirt. Easy cleaning of the HPL, with normal chemical detergents, or with sanitizing products, against which the material is inalterable. In case of cleaning it from graffiti it can be used an organic dissolvent without risk of alteration of the colour.

Resistant against food residuals and colourants, as they do not affect neither the properties nor the appearance of the HPL (phenolic material). The Steel wool, or similar products, are not recommended, as they can scratch the surface and create cavities of corrosion, especially at the stainless Steel components. Take special care with the use of materials which contain chlorides, as they are contraindicated, as they can cause oxidation. Hydrochloric acid or iron products in prolonged contact, are also not recommended. Never use common Steel cleaners for stainless Steel!


COLOURS

Body



F-085

Doors



F-085



F-0074



F-0851



F-0010



F-0011



F-0232



F-0210



F-0725



F-6901



F-2478




F-0318



F-0718



F-0717




F-0193



F-0077




F-0080



FM-100



FM-200



FF-405

LOCKS



Standard: Latch operated



Padlockable Polyamide Lock (optional padlock)



Padlockable Metallic Lock 1 (optional combination padlock)



Padlockable Metallic Lock 2 (optional combination padlock)



Metal handle



Coin-operated Lock (coin-return)



Coin-operated Lock + Coin Collect Box (cash box, non coin-return)



Lock of 4 manual digits with emergency key



Electronic lock combination of 4 digits NEXT 1



Electronic lock combination of 4 digits NEXT 2



Electronic lock combination of 4 digits SOLA



Electronic lock combination of 4 digits VERSA MINI



Electronic lock combination of 4 digits TELEC



Electronic lock combination of 4 digits ELOCK



Lock of proximity PROXI 2



Lock of proximity PROXI 3



Lock of proximity-VERSA MINI

OPTIONS



Door opening limiter 90°.



HPL socle



Slope top



Decorative end panel




Bracelet of nylon




Elastic bracelet

COMBINATIONS AND DIMENSIONS


FV SERIES




FV-30/1
 COD: 53001
 43,6kg · 0,27m³




FV-30/2
 COD: 53101
 74,05kg · 0,54m³




FV-30/3
 COD: 53102
 104,3kg · 0,81m³




FV-30/4
 COD: 53103
 134,85kg · 1,07m³



FV-40/1
 COD: 53002
 49kg · 0,36m³




FV-40/2
 COD: 53112
 84,85kg · 0,71m³




FV-40/3
 COD: 53113
 120,8kg · 1,06m³


FT SERIES




FT-30/1
 COD: 53011
 44,1kg · 0,27m³




FT-30/2
 COD: 53120
 75,05kg · 0,54m³




FT-30/3
 COD: 53121
 105,8kg · 0,81m³




FT-30/4
 COD: 53122
 136,85kg · 1,07m³



FT-40/1
 COD: 53012
 49,5kg · 0,36m³




FT-40/2
 COD: 53123
 85,85kg · 0,71m³




FT-40/3
 COD: 53124
 122,3kg · 1,06m³

COMBINATIONS AND DIMENSIONS


FM SERIES




FM-30/1
COD: 53031
47kg · 0,27m³




FM-30/2
COD: 53131
80kg · 0,54m³




FM-30/3
COD: 53132
114kg · 0,81m³




FM-30/4
COD: 53133
148kg · 1,07m³



FM-40/1
COD: 53032
53kg · 0,36m³




FM-40/2
COD: 53134
93kg · 0,71m³




FM-40/3
COD: 53135
133kg · 1,06m³


FC SERIES




FC-30/1
COD: 53021
50kg · 0,27m³




FC-30/2
COD: 53141
86kg · 0,54m³




FC-30/3
COD: 53142
122kg · 0,81m³




FC-30/4
COD: 53143
158kg · 1,07m³



FC-40/1
COD: 53022
56kg · 0,36m³




FC-40/2
COD: 53144
99kg · 0,71m³




FC-40/3
COD: 53145
143kg · 1,06m³

COMBINATIONS AND DIMENSIONS


FP SERIES




FP-30/1
 COD: 53051
 52kg · 0,27m³




FP-30/2
 COD: 53151
 91kg · 0,54m³




FP-30/3
 COD: 53152
 130kg · 0,81m³




FP-30/4
 COD: 53153
 169kg · 1,07m³



FP-40/1
 COD: 53052
 60kg · 0,36m³




FP-40/2
 COD: 53154
 106kg · 0,71m³




FP-40/3
 COD: 53155
 153kg · 1,06m³


FB SERIES




FB-30/1
 COD: 53061
 55kg · 0,27m³




FB-30/2
 COD: 53161
 96kg · 0,54m³




FB-30/3
 COD: 53162
 138kg · 0,81m³




FB-30/4
 COD: 53163
 180kg · 1,07m³



FB-40/1
 COD: 53062
 63kg · 0,36m³




FB-40/2
 COD: 53164
 113kg · 0,71m³




FB-40/3
 COD: 53165
 164kg · 1,06m³

COMBINATIONS AND DIMENSIONS


FZ SERIES




FZ-30/1
COD: 53081
60kg · 0,27m³




FZ-30/2
COD: 53171
107kg · 0,54m³




FZ-30/3
COD: 53172
154kg · 0,81m³




FZ-30/4
COD: 53173
201kg · 1,07m³



FZ-40/1
COD: 53082
70kg · 0,36m³




FZ-40/2
COD: 53174
127kg · 0,71m³




FZ-40/3
COD: 53175
184kg · 1,06m³


FL SERIES




FL-30/1
COD: 53041
51kg · 0,27m³




FL-30/2
COD: 53181
92kg · 0,54m³




FL-30/3
COD: 53182
134kg · 0,81m³




FL-30/4
COD: 53183
175kg · 1,07m³



FL-40/1
COD: 53042
56kg · 0,36m³



FL-40/2
COD: 53184
103kg · 0,71m³



FL-40/3
COD: 53185
150kg · 1,06m³

COMBINATIONS AND DIMENSIONS

FLH SERIES

