
robot g coupe






Compact table-top model, easy to clean and simple to store - even in the tiniest of kitchens.



The detachable bowl and lid are both dishwasher safe

EASY CLEANING



• The cylindrical feed tube (Ø 58 mm) ensures uniform cutting of long, thin fruit and vegetables



TWO FEED HOPPERS

STURDINESS

Stainless-steel bowl and all-metal motor unit.

THROUGHPUT

- Operating time: up to 80 kg/h.
- Processing time: up to 3 kg/mn.
- 1 speed: 500 Rpm.





Space-saving



Ejector tool speciallydesigned to cope with cabbage.



Exceptional cutting quality:

CL 40

robot@coupe*

With the CL 40, you can choose between a wide variety of cuts, even when dealing with delicate vegetables - **slicing or dicing tomatoes** is no longer a problem!

The stainless-steel* discs are dishwasher compatible

^{*} Only the slicing discs of the French fry and dicing kits are made from aluminium.



8x8 mm


CLEANING

The lid and bowl made from composite material are easily detachable.

THROUGHPUT

Operating time: up to 40 kg/h. Processing time: up to 2 kg/mn. 1 speed: 1500 Rpm.

Not for dicing or making french fries











2éf. : 450 651 - 01/2012 - Anglais

Vegetable preparation machines

Table-top models CL20 • CL40



The Products Plus:

Processing capacity:

 Large hopper (104 cm²) for large vegetable processing and round feed hopper (Ø 58 mm) designed for long and fragile products.

Range of cut:

 A comprehensive range of discs allowing you to perform all the fruit and vegetable processing tasks you could possibly want - including slicing, ripple-cutting, grating, dicing, cutting into ribbons or matchsticks, and making french fries, in the case of the CL 40.

Simple design:

- Removable bowl and lid for easy and perfect cleaning.
- Designed for easy handling and maintenance.

• Patented magnetic security device and motor braking system stop the machine as soon as the bowl or hoppers are opened.



Number of covers:

from 20 to 80



Users:

Restaurants - Bars - Takeaway outlets - Sandwich bars



In brief:

Space saving and compact table-top model designed for a wide range of cut.




INDUCTION MOTOR


- Industrial induction motor for heavy duty use guarantees durability and reliability.
- Motor built on ball bearings for silent running without vibration
- Direct drive motor:
 - Extra power
 - No complex drive system
- No maintenance
- Stainless steel motor shaft




CE mark		Electrical data			Dimensions (mm)								Weight (kg)	
		Speed (rpm)	Power (Watts)	Voltage* (Amp.)	А	В	С	D	E	F	G	Н	net	gross
	CL 20	1500	400	230 V/1 50 Hz 5,7	205	303	224	570	345	725	530	410	11 kg	13 kg
	CL 40	500	500	230 V/1 50 Hz 5,4	225	303	224	590	345	745	530	410	15 kg	18 kg


CL 20





CL 40





* Other voltages available



HEAD OFFICE, FRENCH, EXPORT AND MARKETING DEPARTMENT:

Tel.: + 33 1 43 98 88 33 - Fax: + 33 1 43 74 36 26 email: international@robot-coupe.com

Robot Coupe Australia: Tel.: (02) 9478 0300 - Fax: (02) 9460 7972 New Zealand: Tel.: 0800 716161 - Fax: 0800 716162 email: orders@robotcoupe.com.au

Robot Coupe U.K. LTD: Tel.: 020 8232 1800 - Fax: 020 8568 4966 2, Fleming Way, Isleworth, Middlesex TW7 6EU email: sales@robotcoupe.co.uk

Robot Coupe U.S.A.: Tel.: 1-800-824-1646 - Fax: 601-898-9134 email: info@robotcoupeusa.com - website: www.robotcoupeusa.com

www.robot-coupe.com

DISTRIBUTOR

STANDARDS:

Machines in compliance with:

- The essential requirements of the following European directives and with the corresponding national regulations: 2006/42/EC, 2006/95/ EC, 2004/108/EC, 1935/2004/EC, 2002/72/EC, "RoHS" 2002/95/EC, "WEEE"
- The requirements of the European harmonized standards and with the standards specifying the hygiene and safety requirements: EN 12100-1 and 2 2004, EN 60204-1 2006, EN 1678 -1998, EN 60529-2000: IP 55, IP 34.

