



SHELF ILLUMINATION



VKF Renzel


VKF Renzel GmbH • Im Geer 15 • 46419 Isselburg • Germany • Phone: +49 (0) 28 74 / 910-180
Fax: +49 (0) 28 74 / 910-111 • www.vkf-renzel.com • sales@vkf-renzel.com

Shelf Illumination

Why choose shelf illumination?

Displaying products attractively is of high importance in today's retail environment. For this reason it is essential to arrange your existing sales space appealingly. Shelf illumination plays an increasingly important role as it supports the buying decision from entry to search to find to purchase. We can help you to stage your products in their best light.

Product Lines



LED Shelf Illumination Set

Consisting of:

- 4x LED Inline, 1150 mm, 4000 Kelvin
- 1x power rail, grey, 1200 mm
- 4x connecting cable for power rail / LED rail 600 mm
- 1x connecting cable for power rail / mains adapter 1000 mm
- 1x mains adapter, 75W, 24V, Colour: white

10.0453.1

Consisting of:

- 4x LED Roundline, 1150 mm, 4000 Kelvin
- 1x power rail, grey, 1200 mm
- 4x connecting cable for power rail / LED rail 600 mm
- 1x connecting cable for power rail / mains adapter 1000 mm
- 1x mains adapter, 75W, 24V, Colour: white

10.0453.2

1. *Inline*
2. *Roundline*

Other light colours, lengths and bespoke shelf illumination sets are available on request.

Inline

LED rails

Voltage (V): 24V; Connection: adapter with cable

Length: 350 mm; Light colour: warm white (3000 K);
Power input (W): 4.3 W

10.0432.9

Length: 350 mm; Light colour: neutral white (4000 K);
Power input (W): 4.3 W

10.0432.18

Length: 350 mm; Light colour: cool white (6500 K);
Power input (W): 4.3 W

10.0432.27

Length: 450 mm; Light colour: warm white (3000 K);
Power input (W): 5.7 W

10.0432.10

Length: 450 mm; Light colour: neutral white (4000 K);
Power input (W): 5.7 W

10.0432.19

Length: 450 mm; Light colour: cool white (6500 K);
Power input (W): 5.7 W

10.0432.28

Length: 550 mm; Light colour: warm white (3000 K);
Power input (W): 7.1 W

10.0432.11

Length: 550 mm; Light colour: neutral white (4000 K);
Power input (W): 7.1 W

10.0432.20

Length: 550 mm; Light colour: cool white (6500 K);
Power input (W): 7.1 W

10.0432.29

Length: 650 mm; Light colour: warm white (3000 K);
Power input (W): 8.5 W

10.0432.12

Length: 650 mm; Light colour: neutral white (4000 K);
Power input (W): 8.5 W

10.0432.21

Length: 650 mm; Light colour: cool white (6500 K);
Power input (W): 8.5 W

10.0432.30

Length: 750 mm; Light colour: warm white (3000 K);
Power input (W): 10 W

10.0432.13

Length: 750 mm; Light colour: neutral white (4000 K);
Power input (W): 10 W

10.0432.22

Length: 750 mm; Light colour: cool white (6500 K);
Power input (W): 10 W

10.0432.31

Length: 850 mm; Light colour: warm white (3000 K);
Power input (W): 11.7 W

10.0432.14

Length: 850 mm; Light colour: neutral white (4000 K);
Power input (W): 11.7 W

10.0432.23

Length: 850 mm; Light colour: cool white (6500 K);
Power input (W): 11.7 W

10.0432.32

Length: 950 mm; Light colour: warm white (3000 K);
Power input (W): 12.9 W

10.0432.15

Length: 950 mm; Light colour: neutral white (4000 K);
Power input (W): 12.9 W

10.0432.24

Length: 950 mm; Light colour: cool white (6500 K);
Power input (W): 12.9 W

10.0432.33

Length: 1050 mm; Light colour: warm white (3000 K);
Power input (W): 14.2 W

10.0432.16

Length: 1050 mm; Light colour: neutral white (4000 K);
Power input (W): 14.2 W

10.0432.25

Length: 1050 mm; Light colour: cool white (6500 K);
Power input (W): 14.2 W

10.0432.34

Length: 1150 mm; Light colour: warm white (3000 K);
Power input (W): 15.7 W

10.0432.17

Length: 1150 mm; Light colour: neutral white (4000 K);
Power input (W): 15.7 W

10.0432.26

Length: 1150 mm; Light colour: cool white (6500 K);
Power input (W): 15.7 W

10.0432.35

Roundline

LED rails

Voltage (V): 24V; Connection: adapter with cable

Length: 350 mm; Light colour: warm white (3000 K);
Power input (W): 3.3 W

10.0432.36

Length: 350 mm; Light colour: neutral white (4000 K);
Power input (W): 3.3 W

10.0432.45

Length: 350 mm; Light colour: cool white (6500 K);
Power input (W): 3.3 W

10.0432.54

Length: 450 mm; Light colour: warm white (3000 K);
Power input (W): 4.4 W

10.0432.37

Length: 450 mm; Light colour: neutral white (4000 K);
Power input (W): 4.4 W

10.0432.46

Length: 450 mm; Light colour: cool white (6500 K);
Power input (W): 4.4 W

10.0432.55

Length: 550 mm; Light colour: warm white (3000 K);
Power input (W): 5.3 W

10.0432.38

Length: 550 mm; Light colour: neutral white (4000 K);
Power input (W): 5.3 W

10.0432.47

Length: 550 mm; Light colour: cool white (6500 K);
Power input (W): 5.3 W

10.0432.56

Length: 650 mm; Light colour: warm white (3000 K);
Power input (W): 6.3 W

10.0432.39

Length: 650 mm; Light colour: neutral white (4000 K);
Power input (W): 6.3 W

10.0432.48

Length: 650 mm; Light colour: cool white (6500 K);
Power input (W): 6.3 W

10.0432.57

Length: 750 mm; Light colour: warm white (3000 K);
Power input (W): 7.4 W

10.0432.40

Length: 750 mm; Light colour: neutral white (4000 K);
Power input (W): 7.4 W

10.0432.49

Length: 750 mm; Light colour: cool white (6500 K);
Power input (W): 7.4 W

10.0432.58

Length: 850 mm; Light colour: warm white (3000 K);
Power input (W): 8.4 W

10.0432.41

Length: 850 mm; Light colour: neutral white (4000 K);
Power input (W): 8.4 W

10.0432.50

Length: 850 mm; Light colour: cool white (6500 K);
Power input (W): 8.4 W

10.0432.59

Length: 950 mm; Light colour: warm white (3000 K);
Power input (W): 9.5 W

10.0432.42

Length: 950 mm; Light colour: neutral white (4000 K);
Power input (W): 9.5 W

10.0432.51

Length: 950 mm; Light colour: cool white (6500 K);
Power input (W): 9.5 W

10.0432.60

Length: 1050 mm; Light colour: warm white (3000 K);
Power input (W): 10.5 W

10.0432.43

Length: 1050 mm; Light colour: neutral white (4000 K);
Power input (W): 10.5 W

10.0432.52

Length: 1050 mm; Light colour: cool white (6500 K);
Power input (W): 10.5 W

10.0432.61

Length: 1150 mm; Light colour: warm white (3000 K);
Power input (W): 11.6 W

10.0432.44

Length: 1150 mm; Light colour: neutral white (4000 K);
Power input (W): 11.6 W

10.0432.53

Length: 1150 mm; Light colour: cool white (6500 K);
Power input (W): 11.6 W

10.0432.62

Accessories

Power Rail

Length: 1200 mm; Current (A): 8 A

Colour: white

10.0451.1

Colour: grey

10.0451.2

Colour: black

10.0451.3

Connecting Cable for Power Rail / LED Rail

Length: 600 mm; Current (A): 6 A

Colour: white

10.0451.4

Colour: grey

10.0451.5

Colour: black

10.0451.6

Connecting Cable for Power Rail / Mains Adapter

Length: 600 mm; Current (A): 10 A

10.0451.7

Mains Adapter


Voltage (V): 24 V; Colour: white

Power input (W): 20 W

10.0452.1



Power input (W): 75 W

10.0452.2




1. 1. 10.0451.4 - 10.0451.6.
2. 10.0451.1 - 10.0451.3.
3. 10.0451.7.
4. 10.0452.1 - 10.0452.2.

Installation




Example Shelf Illumination Set



No expert or tools required.

- 1x mains adapter 75 W / 24
- 1x power rail, 24 V, 1200 mm
- 5x LED Inline, 850 mm
- 1x connecting cable set

Example of Use



www.vkf-renzel.com